

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	09/721806	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:59
L4	6	SQL SAME "NOT"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:27
S1	484	database SAME quer\$5 SAME (divid\$5 split\$5 covert\$5) SAME (multiple several different many plural)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:25
S2	2	"6052681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:38
S3	4	("6052681" "5918207").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:39
S4	227	S1 AND optimi\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:53
S5	78	S4 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:02
S6	0	S5 AND (LDAP "lightweight directory access protocol")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:02

S7	0	S5 AND ("x.500")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:23
S8	2	"6199062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:03
S9	484	database SAME quer\$5 SAME (divid\$5 split\$5 covert\$5) SAME (multiple several different many plural)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S10	227	S9 AND optimi\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S11	78	S10 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S12	0	S11 AND "x.500"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:22
S13	2	database\$3 SAME quer\$5 SAME (eliminat\$5 remov\$5 delet\$5) SAME "not" SAME operator\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:13
S14	32	(apply\$5 follow\$3) SAME principle SAME logic\$3 SAME quer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:59

S15	2566	database\$3 SAME search\$3 SAME logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:37
S16	896	S15 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S17	8	S14 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:43
S18	148	S16 AND separat\$5 SAME quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:46
S19	76	S18 AND SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:47
S20	60	multi\$3 ADJ tier\$3 SAME computer NEAR8 architecture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:42
S21	32	S20 AND @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:02
S22	0	S21 AND "clinical research data management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:53

S23	0	S21 AND clinical SAME data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:53
S24	4	"20030208454" "20030110058"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:00
S25	4	("6356892" "6112198").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:57
S26	0	10/384102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:22
S27	2	cache ADJ miss	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:32
S28	8813	cache ADJ miss	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:33
S29	69	model\$5 WITH cache ADJ miss	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:35
S30	19	S29 AND @RLAD<"20030305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:37

S31	2	S29 SAME overlap\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:37
S32	8	(obtain\$3 generat\$5 creat\$5) WITH nested NEAR5 SQL NEAR5 (query instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:12
S33	2	S32 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:07
S34	0	S32 AND @rlad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:07
S35	0	S32 AND @rlad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:07
S36	2	S32 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:07
S37	3	(obtain\$3 generat\$5 creat\$5) WITH nested NEAR5 (query instruction) SAME (expand\$3 pars\$3 split\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:34